

MAYSER®
SAFETY PLATE



MAYSER®

MAYSER®

SAFETY PLATE

HEATED AREA PROTECTION GSE

- ✓ Autonomous passenger boarding bridges
- ✓ Optionally heated
- ✓ Polyester cover extreme
- ✓ IP67
- ✓ Standard cable length 10m / according to customer request

SITUATION

- Trend towards autonomous passenger boarding bridges
- Avoidance of personnel on passenger bridges
- Planning autonomous terminals in Munich

MAYSER®




MAYSER®

SAFE

AREA PROTECTION WITH COVER GSE

✓ Print available



MAYSER®

MAYSER®

SAFETY PLATE

IP 67

STRUCTURE



MAYSER®

MAYSER®

SAFETY PLATE

Safety Plate						
	Variant 1 Aluminum plate + SP57-Chain		Variant 2 Aluminum plate + SP57-Chain + Heating		Variant 3 Aluminum plate + SP57-Chain + Cover	
Kosten	Price for an order >= 100 pc	low	Price for an order >= 100 pc	high	Price for an order >= 100 pc	middle
Aluminium plate Cost reduction	possible		no option		possible	
Painting Cost reduction	no option		no option		not relevant	
Heating Cost reduction	-		possible		-	
Repair	possible / SP - 57		possible / SP -57		yes / cover	
Dirt-repellent	-		-		x	
Flame retardant	x		x		x	
Snow-repellent	no		Heating / melts		cover	
Failure due to freezing	possible		no		no	
UV- resistant	yes		Ja		yes	
Heavy mechanical load	normal load		normal belastbar		yes	
Suitable for outdoor use	yes / IP67		yes / IP67		yes / IP67	
Do not step	visible		visible		highly visible	

MAYSER®

MAYSER®

SAFETY PLATE

TEST FORCES

✓ Tests: 1-3 SP

✓ Room temperature

No. SPs	Test piece 80mm		Door 3-5mm	
	Without cover	With cover	Without cover	With cover
1 SP	150N	250N		65N
2 SP	300N	500N		
3 SP	450N	750N		195N

Safety Shoe: 300N


MAYSER®

MAYSER®

SAFETY PLATE

WHAT ARE YOUR NEEDS?

READY TO DEVELOPE
INDIVIDUAL SAFETY
SOLUTIONS



MAYSER®